Call/Text/Watsapp 24x7:-8327718656



Kabson Fire is Kolkata's most acclaimed & No 1 brand in Fire Extinguisher from House of Shipra Venture.

Kabson Fire is Kolkata's only ISO 9001:2015 approved International standard advanced Service Center for Fire Extinguisher Refilling, Repair, and Servicing of Fire Alarm System & Maintenance Fire Fighting Equipments at Kolkata. Managed by NFPA & FSRI (UL) certified Fire Protection consultants, technicians & experienced team of Fire fighting trained manpower's for immediate door step service.

We have specialization in Fire Detection, Suppression & Protection; we also provide Certified Fire Training & are master in handling Turnkey Project's in Fire Detection, Suppression & Evacuation.

The Unique features of "KABSON" Fire Extinguishers are



- · Elegant Look.
- Agronomical Design.
- Seamless Cylindrical Body.
- World Class Valve Assembly.
- Best Quality Rubber Hose Pipes
- Time Tested & rigorous in House Test Qualified as Per Prescribed Norms.
- Compliance to Statuary Norms of BIS Norms & CE
- Unique Warranty Policy*
- Shell Life Warranty As Per IS-15683:2018 & IS 2190:2010
- Extended Warranty*
- Complimentary AMC*
- Introduction of ACMC*
- Sanitized Installation Process & Maintenance.
- Sanitized Gloves with every Unit
- Installation Strictly As per Risk Assessment Team

Images may differ from actual product

SHIPRA VENTURE

BD-24, THAKUR RAMAKRISHNA SARANI, PRAFULLA KANON, KESTOPUR, KOLKATA-700101 LANDLINE: 033-35642706, MOBILE: 7980949473 / 9474945560

SALES@SHIPRAVENTUR.IN / INFO@KABSONFIRE.COM WWW.SHIPRAVENTURE.COM / WWW.KABSONFIRE.COM

European Agency for Safety and Health at Work

सूक्ष्म, लघु एवं मध्यम उद्यम







8327718656

*Terms & Condition Applicable as per policy



UNIT	SPECIFICATION*	
KABSON FOAM TYPE-6 LTRS	Extinguishing Agent	KABSON Brand FOAM Type Stored Pressure Type AFFF
MECH. FOAM PORT CATABODISTS STORY OF THE C	Details	6ltr
	Gross Weight	10.10 Kg
	Empty Weight	4.10 Kg
	Can Height	520MM
	Diameter	160MM
	Sheet metal thickness	1.60MM
	Pressuring Agent	Nitrogen Pressurized (Inert Gas)
	Pressure Monitor	CE Approved Pressure Gauge
	Discharge	Controllable Discharge Mechanism,
		Discharge Hose & Nozzle
	Discharge time	Minimum 8 Secs
	Range	Minimum 2 Meters
	Temperature Range	
	(°C)	5 to 55
Images may differ from actual product	Can Construction	Deep Drawn & CO2 Mig welded



SHIPRA VENTURE

FIRE SAFETY STANDARDS

BD-24, THAKUR RAMAKRISHNA SARANI, PRAFULLA KANON, KESTOPUR, KOLKATA-700101 LANDLINE: 033-35642706, MOBILE: 7980949473 / 9474945560

SALES@SHIPRAVENTUR.IN / INFO@KABSONFIRE.COM WWW.SHIPRAVENTURE.COM / WWW.KABSONFIRE.COM









OMPAN

GSTIN 19BAPPS0902R1ZW

-:Call/Text/Watsapp 24x7 8327718656

Valve Construction	Forging & Machining ABSON FI	
Internal Coating of Can	Epoxy Powder coating	
External Coating of Can	Epoxy Polyester Powder coating	
Test	In house test as per IS-15683:2018**	
Applicable on	Class A, B &C Fire	
A Rating	3A,144B	
B Rating		
Certifications	Make & Construction: - As per IS- 15683:2018 Maintenance & Schedule: - As Per IS	
	2190:2010 CE Approved	
Warranty	3 Years***	
Extended Warranty	3 Years****	
Shell Life Warranty	10 Years****	

^{*} Technical specifications are subject to change with time due to our continuous product improvisation initiatives.

******It is mandatory for the extinguisher to be refilled/ replaced by "KABSON" in the 3rd year as per IS-2190:2010(annex E clauses 12.2.1 & 12.2.2g) compliance & policy (Kindly Visit our website or BIS website for details rules & regulation)

***** Shell Life Warranty as per IS-2190:2010(annx F clauses 12.2.1) compliance & policy (Kindly Visit our website or BIS website for details rules & regulation)

(Kindly Visit our website or BIS website for details compliance & parameters)



SHIPRA VENTURE

BD-24, THAKUR RAMAKRISHNA SARANI, PRAFULLA KANON, KESTOPUR, KOLKATA-700101 LANDLINE: 033-35642706, MOBILE: 7980949473 / 9474945560

> SALES@SHIPRAVENTUR.IN / INFO@KABSONFIRE.COM WWW.SHIPRAVENTURE.COM / WWW.KABSONFIRE.COM







^{**} In house test as per IS-15683:2018(annx C) compliance & policy (Kindly Visit our website or BIS website for details rules & regulation)

^{***}Warranty As per IS-2190:2010(annex D clauses 11.4.1 & 12.3) compliance & policy (Kindly Visit our website or BIS website for details rules & regulation).